


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) ~~At least one chemical entity chosen from compounds A~~
compound of Formula (I) :



wherein:

A represents hydroxy;

R¹ represents aryl, heteroaryl bonded through a ring carbon atom, or heterocyclyl bonded through a ring carbon atom, each of which may be optionally substituted by one or more substituents selected from -C₁₋₆alkyl, halo, -OR^A, -SR^A, -C(O)NR^BR^C, -C(O)R^D, -CO₂H, -CO₂R^D, -NR^BR^C, -NR^EC(O)R^D, -NR^ECO₂R^D, -NR^EC(O)NR^FR^G, -SO₂NR^FR^G, -SO₂R^D, nitro, cyano, -CF₃, -OCF₃, NR^ESO₂R^D, phenyl and heterocyclyl, wherein the -C₁₋₆alkyl substituent itself may be optionally substituted by one or more substituents selected from -C₅₋₉cycloalkyl, halo, -NR^BR^C, -C(O)NR^BR^C, -NR^EC(O)R^D, -SR^A, -SO₂R^D, OR^A, oxo, phenyl, heteroaryl or heterocyclyl; or R¹ represents -C₁₋₆alkyl or -C₅₋₉cycloalkyl;

R² represents phenyl substituted by one or more substituents selected from -C₁₋₆alkyl, halo, -OR^A, -SR^A, -C(O)NR^BR^C, -C(O)R^D, -CO₂H, -CO₂R^D, -NR^BR^C, -NR^EC(O)R^D, -NR^ECO₂R^D, -NR^EC(O)NR^FR^G, -SO₂NR^FR^G, -SO₂R^D, nitro, cyano, and heterocyclyl; or R² represents

-(CH₂)_nC₅₋₉-cycloalkyl optionally substituted on the cycloalkyl by one or more substituents selected from -C₁₋₆alkyl, =CH(CH₂)₂H, -OR^A, -SR^A, -C(O)NR^BR^C, -C(O)R^D, -CO₂H, -CO₂R^D, -NR^BR^C, -NR^EC(O)R^D, -NR^ECO₂R^D, -NR^EC(O)NR^FR^G, -SO₂NR^FR^G, -SO₂R^D, fluoro, nitro, cyano, oxo, and heterocyclyl, or wherein two substituents may together form a C₁₋₂alkylene bridge substituent;

t represents 0, 1, 2, 3 or 4;

n represents 0 or 1;

R³ represents heterocyclyl or heteroaryl; or phenyl optionally substituted by one or more substituents selected from -C₁₋₆alkyl, halo, -OR^A, -SR^A, -C(O)NR^BR^C, -C(O)R^D, -CO₂H, -CO₂R^D, -NR^BR^C, -NR^EC(O)R^D, -NR^ECO₂R^D, -NR^EC(O)NR^FR^G, -SO₂NR^FR^G, -SO₂R^D, nitro, cyano, and heterocyclyl; or R³ represents -C₁₋₆alkyl optionally substituted by one or more substituents selected from -C₁₋₆alkyl, -OR^A, -SR^A, -C(O)NR^BR^C, -C(O)R^D, -CO₂H, -CO₂R^D, -NR^BR^C, -NR^EC(O)R^D, -NR^ECO₂R^D, -NR^EC(O)NR^FR^G, -SO₂NR^FR^G, -SO₂R^D, fluoro, nitro, cyano, oxo, phenyl, heteroaryl and heterocyclyl;

R⁴ represents hydrogen;

R^A represents hydrogen, -C₁₋₆alkyl, arylalkyl, heteroarylalkyl, aryl, heterocyclyl or heteroaryl;

R^B and R^C independently represent hydrogen, -C₁₋₆alkyl, aryl, heterocyclyl or heteroaryl; or R^B and R^C together with the nitrogen atom to which they are attached form a 5 or 6 membered saturated cyclic group;

R^D is selected from the group consisting of -C₁₋₆alkyl, aryl, heterocyclyl, heteroaryl, arylalkyl, and heteroarylalkyl;

R^E represents hydrogen or -C₁₋₆alkyl;

R^F and R^G are independently selected from the group consisting of hydrogen, -C₁₋₆alkyl, aryl, heteroaryl, arylalkyl, and heteroarylalkyl; or R^F and R^G together with the nitrogen atom to which they are attached form a 5 or 6 membered saturated cyclic group;

~~and salts, solvates and esters~~ or a pharmaceutically acceptable salt, solvate or ester thereof.

2. (currently amended) ~~At least one chemical entity as claimed in claim 1 chosen compounds~~ A compound of Formula (I) selected from the group consisting of:
- 3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-phenyl-1*H*-pyrazole-4-carboxylic acid;
- 3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-(4-methylphenyl)-1*H*-pyrazole-4-carboxylic acid;
- 1-(1-Cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 1-(4-Chloro-3-methylphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 1-(4-Fluorophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 1-(6-Indolyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 1-(4-Hydroxyphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[4-(trifluoromethyl)phenyl]-1*H*-pyrazole-4-carboxylic acid;
- 1-[4-(Acetylamino)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 1-(4-Biphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 1-[4-(Dimethylamino)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[4-(methyloxy)phenyl]-1*H*-pyrazole-4-carboxylic acid;
- 1-(4-Acetylphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[4-[(trifluoromethyl)oxy]phenyl]-1*H*-pyrazole-4-carboxylic acid;
- 1-(4-Cyanophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 1-[4-[(Dimethylamino)carbonyl]phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;
- 3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-(3-thienyl)-1*H*-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[3-(trifluoromethyl)phenyl]-1H-pyrazole-4-carboxylic acid;

1-(3,5-Dimethylphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(3-Chloro-5-fluorophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[3,5-Bis(trifluoromethyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(1,3-Benzodioxol-5-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(2,3-Dihydro-1-benzofuran-5-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(2,3-Dihydro-1,4-benzodioxin-6-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-(3,4,5-trifluorophenyl)-1H-pyrazole-4-carboxylic acid;

1-(4-Chlorophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[3-(methyloxy)phenyl]-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[4-(methylsulfonyl)phenyl]-1H-pyrazole-4-carboxylic acid;

1-(2-Fluorophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(3-Hydroxyphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-(3-methylphenyl)-1H-pyrazole-4-carboxylic acid;

1-(3-Fluorophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(4-Aminophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(3-Chlorophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[3-[(trifluoromethoxy)oxy]phenyl]-1H-pyrazole-4-carboxylic acid;

1-(4-Chloro-3-fluorophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-(3-Amino-4-methylphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-(3-Fluoro-4-methylphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-(3,4-Difluorophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-[(*E*)-1-Hexen-1-yl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-[(*E*)-2-Cyclohexylethenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[(*E*)-4-methyl-1-penten-1-yl]-1H-pyrazole-4-carboxylic acid;
1-[(*E*)-2-(4-Fluorophenyl)ethenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-(4-Ethenylphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-[4-(Hydroxymethyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-(4-Ethylphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-[4-(1-methylethyl)phenyl]-1H-pyrazole-4-carboxylic acid;
1-(5-Acetyl-2-thienyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
1-(5-Chloro-2-thienyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;
3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-(5-methyl-2-thienyl)-1H-pyrazole-4-carboxylic acid;
3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-(5-phenyl-2-thienyl)-1H-pyrazole-4-carboxylic acid;
1-[(4-Methyl)cyclohexen-1-yl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](tetrahydro-2H-pyran-4-yl)amino]-1H-pyrazole-4-carboxylic acid;
1-(6-Benzofuranyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(Cyclohepten-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](tetrahydro-2H-pyran-4-yl)amino]-1H-pyrazole-4-carboxylic acid;

1-((4-Methyl)cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-(methylsulfonyl)-4-piperidiny]amino]-1H-pyrazole-4-carboxylic acid;

1-((4,4-Dimethyl)cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](tetrahydro-2H-pyran-4-yl)amino]-1H-pyrazole-4-carboxylic acid;

1-(3-Chloro-4-benzyloxyphenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(4-Benzyloxy-cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(4,4-Dimethyl)cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](tetrahydro-2H-pyran-4-yl)amino]-1-{4-[(*E*)-2-phenylethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](tetrahydro-2H-pyran-4-yl)amino]-1-{4-[(*Z*)-2-phenylethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4[(*Z*)-2-(3-pyrazolyl)-ethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4[(*E*)-2-(3-pyrazolyl)-ethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4[(*E*)-2-(tetrahydro-2H-pyran-4-yl)-ethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](tetrahydro-2H-pyran-4-yl)amino]-1-{4-[(*E*)-2-(4-thiazolyl)-ethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](tetrahydro-2H-pyran-4-yl)amino]-1-{4-[(*Z*)-2-(4-thiazolyl)-ethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

1-((*E*)-2-*tert*-Butyl-ethenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-((*E*)-2-Phenyl-ethenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(4-Methyl-1-cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-(3-Cyanophenyl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-((1-Methylethyl)((4-methylidenecyclohexyl)carbonyl)amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

1-(4-Trifluoromethyl-cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[(phenyloxy)methyl] phenyl}-1H-pyrazole-4-carboxylic acid;

1-[4-(Phenylsulfonylmethyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-(Phenylthiomethyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-(Phenoxy)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-((1,3-Thiazol-4-ylmethyl)oxy)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-([E]-Phenylethenyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-[Z]-Phenylethenyl))phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-([E,Z]-(1,3-Thiazol-2-yl)ethenyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-([E]-Phenyl-2-methylethenyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-[E]-(Pyridin-4-yl)ethenyl))phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-([E]-(1,3-Thiazol-4-yl)ethenyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-([E]-(Furan-2-yl)ethenyl))phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

1-[4-([E]-(2-Methyl-1,3-thiazol-4-yl)ethenyl)phenyl]-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[(Cyclohexylacetyl)(1-methylethyl)amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[(1-Methylethyl)[(4-methylphenyl)carbonyl]amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[[4-Bromo-2-chlorophenyl)carbonyl](1-methylethyl)amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[[*(trans*-4-Methylcyclohexyl)carbonyl](phenyl)amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[[2-(Dimethylamino)-2-oxoethyl][*(trans*-4-methylcyclohexyl)carbonyl]amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)[1-((methyloxy)carbonyl]-4-piperidinyl)amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)[1-(methylsulfonyl)-4-piperidinyl]amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(1-methyl-4-piperidinyl)amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-({1-((Ethylamino)carbonyl)-4-piperidinyl}((*trans*-4-methylcyclohexyl)carbonyl)amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(2-pyrazinylmethyl)amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

rel-3-(((1*S*,2*R*,4*S*)-2-Hydroxy-4-methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1-{4-[(3-methoxyphenyl)carbonyl]amino}phenyl}-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1-{4-[(phenylmethyl)oxy]phenyl}-1H-pyrazole-4-carboxylic acid;

1-(1H-Indol-5-yl)-3-(((*trans*-4-methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1-{4-[(*E/Z*)-2-phenylethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1-{4-(2-phenylethyl)phenyl}-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(tetrahydro-2H-pyran-4-yl)amino)-1-{4-[2-phenylethyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1-{4-[(1,3-thiazol-4-yl)-ethyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(tetrahydro-2H-pyran-4-yl)amino)-1-{4-[(1,3-thiazol-4-yl)-ethyl]phenyl}-1H-pyrazole-4-carboxylic acid;

1-Cyclohexyl-3-(((*trans*-4-methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(1-methylethyl)amino)-1-[1-(methylsulfonyl)-1,2,3,6-tetrahydro-4-pyridinyl]-1H-pyrazole-4-carboxylic acid;

3-(((*trans*-4-Methylcyclohexyl)carbonyl)(phenylmethyl)amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-(Cyclopentyl[(*trans*-4-methylcyclohexyl)carbonyl]amino)-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](tetrahydro-2H-pyran-4-yl)amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[(1-Acetyl-4-piperidiny)[[(*trans*-4-methylcyclohexyl)carbonyl]amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](4-piperidiny)amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[(*E*)-2-cyclohexylethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

1-[4-(2-Cyclohexylethyl)phenyl]-3-[[[(*trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[2-pyridinylethenyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[2-pyridinylethyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[1,3-thiazol-2-ylethyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[2-(1H-pyrazol-3-yl)ethyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[(phenylamino)carbonyl]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[(phenylcarbonyl)amino]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[(3-methylphenylcarbonyl)amino]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl]{1-[(*tert*-butoxy)carbonyl]-4-piperidiny]amino]-1-phenyl-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[(4-fluorophenylcarbonyl)amino]phenyl}-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[(cyclohexylcarbonyl)amino]phenyl}-1H-pyrazole-4-carboxylic acid;

1-[4-[[[4-Fluorophenyl]amino]carbonyl]phenyl]-3-[[[(*trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1H-pyrazole-4-carboxylic acid;

3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{3-[(chlorophenylcarbonyl)amino]phenyl}-1H-pyrazole-4-carboxylic acid;


3-[[[(*trans*-4-Methylcyclohexyl)carbonyl](1-methylethyl)amino]-1-{4-[(phenylsulfonyl)amino]phenyl}-1H-pyrazole-4-carboxylic acid;

1-(4-Methyl-1-cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](1-methylethyl)amino]-1*H*-pyrazole-4-carboxylic acid;

1-(4,4-Dimethyl-1-cyclohexen-1-yl)-3-[[*(trans*-4-methylcyclohexyl)carbonyl](tetrahydro-3-furanyl)amino]-1*H*-pyrazole-4-carboxylic acid

and salts, solvates and esters, and individual enantiomers thereof, ~~where~~ appropriate.

3. (currently amended) A method of treating or preventing viral infection which comprises administering to a subject in need thereof, an effective amount of ~~at least one chemical entity chosen from compounds~~ a compound of Formula (I)



wherein:

A represents hydroxy;

R¹ represents aryl, heteroaryl bonded through a ring carbon atom, or heterocyclyl bonded through a ring carbon atom, each of which may be optionally substituted by one or more substituents selected from -C₁₋₆alkyl, halo, -OR^A, -SR^A, -C(O)NR^BR^C, -C(O)R^D, -CO₂H, -CO₂R^D, -NR^BR^C, -NR^EC(O)R^D, -NR^ECO₂R^D, -NR^EC(O)NR^FR^G, -SO₂NR^FR^G, -SO₂R^D, nitro, cyano, -CF₃, -OCF₃, NR^ESO₂R^D, phenyl and heterocyclyl, wherein the -C₁₋₆alkyl substituent itself may be optionally substituted by one or more substituents selected from -C₅₋₉cycloalkyl, halo, -NR^BR^C, -C(O)NR^BR^C, -NR^EC(O)R^D, -SR^A, -SO₂R^D, OR^A, oxo, phenyl, heteroaryl or heterocyclyl; or R¹ represents -C₁₋₆alkyl or -C₅₋₉cycloalkyl;

R² represents phenyl substituted by one or more substituents selected from -C₁₋₆alkyl, halo, -OR^A, -SR^A, -C(O)NR^BR^C, -C(O)R^D, -CO₂H, -CO₂R^D, -NR^BR^C, -NR^EC(O)R^D, -NR^ECO₂R^D, -NR^EC(O)NR^FR^G, -SO₂NR^FR^G, -SO₂R^D, nitro, cyano, and heterocyclyl; or R² represents

-(CH₂)_nC₅₋₇cycloalkyl optionally substituted on the cycloalkyl by one or more substituents selected from -C₁₋₆alkyl, =CH(CH₂)_lH, -OR^A, -SR^A, -C(O)NR^BR^C,

$-\text{C}(\text{O})\text{R}^{\text{D}}$, $-\text{CO}_2\text{H}$, $-\text{CO}_2\text{R}^{\text{D}}$, $-\text{NR}^{\text{B}}\text{R}^{\text{C}}$, $-\text{NR}^{\text{E}}\text{C}(\text{O})\text{R}^{\text{D}}$, $-\text{NR}^{\text{E}}\text{CO}_2\text{R}^{\text{D}}$, $-\text{NR}^{\text{E}}\text{C}(\text{O})\text{NR}^{\text{F}}\text{R}^{\text{G}}$, $-\text{SO}_2\text{NR}^{\text{F}}\text{R}^{\text{G}}$, $-\text{SO}_2\text{R}^{\text{D}}$, fluoro, nitro, cyano, oxo, and heterocyclyl, or wherein two substituents may together form a C_{1-2} alkylene bridge substituent;

t represents 0, 1, 2, 3 or 4;

n represents 0 or 1;

R^3 represents heterocyclyl or heteroaryl; or phenyl optionally substituted by one or more substituents selected from $-\text{C}_{1-6}\text{alkyl}$, halo, $-\text{OR}^{\text{A}}$, $-\text{SR}^{\text{A}}$, $-\text{C}(\text{O})\text{NR}^{\text{B}}\text{R}^{\text{C}}$, $-\text{C}(\text{O})\text{R}^{\text{D}}$, $-\text{CO}_2\text{H}$, $-\text{CO}_2\text{R}^{\text{D}}$, $-\text{NR}^{\text{B}}\text{R}^{\text{C}}$, $-\text{NR}^{\text{E}}\text{C}(\text{O})\text{R}^{\text{D}}$, $-\text{NR}^{\text{E}}\text{CO}_2\text{R}^{\text{D}}$, $-\text{NR}^{\text{E}}\text{C}(\text{O})\text{NR}^{\text{F}}\text{R}^{\text{G}}$, $-\text{SO}_2\text{NR}^{\text{F}}\text{R}^{\text{G}}$, $-\text{SO}_2\text{R}^{\text{D}}$, nitro, cyano, and heterocyclyl; or R^3 represents $-\text{C}_{1-6}\text{alkyl}$ optionally substituted by one or more substituents selected from $-\text{C}_{1-6}\text{alkyl}$, $-\text{OR}^{\text{A}}$, $-\text{SR}^{\text{A}}$, $-\text{C}(\text{O})\text{NR}^{\text{B}}\text{R}^{\text{C}}$, $-\text{C}(\text{O})\text{R}^{\text{D}}$, $-\text{CO}_2\text{H}$, $-\text{CO}_2\text{R}^{\text{D}}$, $-\text{NR}^{\text{B}}\text{R}^{\text{C}}$, $-\text{NR}^{\text{E}}\text{C}(\text{O})\text{R}^{\text{D}}$, $-\text{NR}^{\text{E}}\text{CO}_2\text{R}^{\text{D}}$, $-\text{NR}^{\text{E}}\text{C}(\text{O})\text{NR}^{\text{F}}\text{R}^{\text{G}}$, $-\text{SO}_2\text{NR}^{\text{F}}\text{R}^{\text{G}}$, $-\text{SO}_2\text{R}^{\text{D}}$, fluoro, nitro, cyano, oxo, phenyl, heteroaryl and heterocyclyl;

R^4 represents hydrogen;

R^{A} represents hydrogen, $-\text{C}_{1-6}\text{alkyl}$, arylalkyl, heteroarylalkyl, aryl, heterocyclyl or heteroaryl;

R^{B} and R^{C} independently represent hydrogen, $-\text{C}_{1-6}\text{alkyl}$, aryl, heterocyclyl or heteroaryl; or R^{B} and R^{C} together with the nitrogen atom to which they are attached form a 5 or 6 membered saturated cyclic group;

R^{D} is selected from the group consisting of $-\text{C}_{1-6}\text{alkyl}$, aryl, heterocyclyl, heteroaryl, arylalkyl, and heteroarylalkyl;

R^{E} represents hydrogen or $-\text{C}_{1-6}\text{alkyl}$;

R^{F} and R^{G} are independently selected from the group consisting of hydrogen, $-\text{C}_{1-6}\text{alkyl}$, aryl, heteroaryl, arylalkyl, and heteroarylalkyl; or R^{F} and R^{G} together with the nitrogen atom to which they are attached form a 5 or 6 membered saturated cyclic group;

~~and salts, solvates and esters~~ or a pharmaceutically acceptable salt, solvate, or ester thereof.

4. (currently amended) A method as claimed in claim 3 ~~which involves inhibiting HCV replication~~ wherein the infection is an HCV infection.

5. (originally presented) A method as claimed in claim 3 in which the ~~chemical entity~~ compound is administered in an oral dosage form.


6. Cancelled.

7. Cancelled.

8. Cancelled.

9. (currently amended) A pharmaceutical formulation comprising ~~at least one chemical entity chosen from compounds~~ a compound of Formula (I) ~~and pharmaceutically acceptable salts, solvates and esters~~ or a pharmaceutically acceptable salt, solvate or ester thereof as defined in claim 1 in conjunction with at least one pharmaceutically acceptable diluent or carrier.

10. (originally presented) A process for the preparation of a compound of Formula (I) as defined in claim 1, comprising ~~treatment~~ of a compound of Formula (II)



in which A is an alkoxy, benzyloxy or silyloxy group and R¹, R², R³ and R⁴ are as defined above for Formula (I) with a base.

11. (originally presented) A process as claimed in claim 10 in which A is ethoxy.

12. Cancelled.

13. Cancelled.

14. (new) A pharmaceutical composition according to claim 9 in the form of a tablet or capsule.

15. (new) A pharmaceutical composition according to claim 9 in the form of a solution or suspension.